



HaloCAD for Viewers 1.3  
Installation and Usage Manual

## Copyright

© 2023-2024 Secude Solutions AG. All Rights Reserved.

This Secude-branded software and its corresponding documentation are the exclusive property of Secude Solutions AG of Luzern, Switzerland and are protected under the various copyright laws around the world and by various other intellectual property laws. The use of this software and/or its documentation and any copying thereof by end users is subject to the terms of a license agreement with Secude Solutions AG. The wrongful use or copying of this software and/or documentation subjects infringers to both criminal and civil liabilities.

ANY USE, COPYING, REPRODUCTION, ALTERATION, TRANSMISSION, OR TRANSLATION OF THESE MATERIALS, IN WHOLE OR IN PART, IN ANY FORM OR BY ANY MEANS, IS STRICTLY PROHIBITED WITHOUT THE PRIOR WRITTEN PERMISSION OF SECUDE SOLUTIONS AG. IF THIS MATERIAL IS PROVIDED WITH SOFTWARE LICENSED BY SECUDE, THE INFORMATION HEREIN IS PROVIDED SUBJECT TO THE TERMS OF THE WARRANTY PROVIDED WITH THE PRODUCT LICENSE. IF THIS MATERIAL IS NOT PROVIDED WITH LICENSED SOFTWARE, THE INFORMATION HEREIN IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. IN EITHER CASE, THERE ARE NO OTHER WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NONINFRINGEMENT, OR QUALITY. IN NO EVENT SHALL SECUDE SOLUTIONS AG OR ANY OF ITS AFFILIATES BE LIABLE FOR ANY DIRECT OR INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE, OR EXEMPLARY DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE MATERIALS AND/OR INFORMATION CONTAINED HEREIN. Some jurisdictions do not allow the exclusion of implied warranties, so the above exclusion may not apply to you.

Secude Solutions AG takes reasonable measures to ensure the quality of the data and other information produced herein. However, these materials may contain technical inaccuracies or typographical errors, and are not guaranteed to be error-free. Information may be changed or updated without notice. Secude Solutions AG has no obligation to update these materials based on changes to its products or services or those of third parties. Secude Solutions AG may also make improvements or changes to the products or services described in this information at any time without notice. Secude Solutions AG frequently releases new versions and updates to its software, and therefore images shown in this document may be slightly different from what you see on screen.

As with any security product, Secude Solutions AG highly recommends the back up of data as well as passwords on a regular basis. Secude Solutions AG is not responsible for the loss of passwords or data that cannot be retrieved based upon a user's failure to adhere to stringent backup and safe-keeping conventions.

### Contact

Secude Solutions AG  
Landenbergstrasse 34  
6005 Luzern  
Switzerland  
Tel: +41 41 510 70 70  
Mail: [info@secude.com](mailto:info@secude.com)

### Support

Web: <https://support.secude.com>  
Mail: [support@secude.com](mailto:support@secude.com)

# Table of Contents

<b>1. INTRODUCTION</b>	<b>1</b>
<b>2. GENERAL FAQs</b>	<b>2</b>
<b>3. QUICK START INSTALLATION SUMMARY</b>	<b>3</b>
<b>4. HALOCAD ARCHITECTURE</b>	<b>4</b>
<b>5. SYSTEM REQUIREMENTS</b>	<b>5</b>
<b>6. INSTALLATION MODES</b>	<b>7</b>
6.1. Graphical Mode	8
6.2. Silent Mode	18
6.3. Via System Center Configuration Manager	19
<b>7. OPERATING INSTRUCTIONS</b>	<b>20</b>
7.1. How does it work?	20
7.2. How to Open a Protected File in HaloCAD for Viewers?	21
7.2.1. What Happens if You Try to Copy Data or Print Screen?	22
7.2.2. What Happens if You Try to Export or Print?	22
7.2.3. What Happens if You Try to Write?	23
7.2.4. What Happens if You Try to Send the File via Email?	23
<b>8. CUSTOMER SUPPORT</b>	<b>25</b>
<b>9. DOCUMENTATION FEEDBACK</b>	<b>26</b>
<b>10. APPENDIX</b>	<b>27</b>
10.1. Enable Support for TLS 1.2 at the Client Workstation for Microsoft Entra ID	27
10.2. Open-source Software	28
10.3. Uninstalling the HaloCAD for Viewers	29

# Typographic Conventions

This guide uses the following typographic conventions to distinguish types of in-text information and icons to alert you to important information.

Convention	Description
<b>Boldface type</b>	<ul style="list-style-type: none"><li>• Items you must select, such as menu options, command buttons, or items in a list.</li><li>• Titles of sections, sub-sections, etc.</li></ul>
<i>Italic type</i>	<ul style="list-style-type: none"><li>• To emphasize a word</li><li>• Error messages</li><li>• Table and Figure captions</li></ul>
Consolas Font	<ul style="list-style-type: none"><li>• Package names</li><li>• Filenames and directory names</li><li>• XML element names and attribute names</li><li>• Parameters</li><li>• File type</li><li>• Code examples</li></ul> <p>Example:</p> <pre>hcsadm.exe start -user &lt;domain\user&gt; -pwd &lt;password&gt;</pre>
Hyperlink	Provides quick and easy access to cross-referenced topics. Hyperlinks are highlighted in blue and underlined.
Admonitions	<div style="border: 1px solid yellow; padding: 5px;"><p><b>Note</b></p><p>Contains detailed information about a topic and are of direct importance to the subject at hand.</p></div>
	<div style="border: 1px solid red; padding: 5px;"><p><b>Warning</b></p><p>Contains information about circumstances, parameters, and so on that <b>MUST</b> be fulfilled. Failure to comply will have consequences for the current operation.</p></div>
	<div style="border: 1px solid green; padding: 5px;"><p><b>Tip</b></p><p>Contains useful information about the operation of the application.</p></div>
	<div style="border: 1px solid blue; padding: 5px;"><p><b>Info</b></p><p>Contains information, guidelines, or suggestions for performing tasks more effectively.</p></div>

# 1. Introduction

As a part of the digital process chain, CAD files are highly valued, such as drawings, blueprints, and prototypes that need to be shared with suppliers, partners, or vendors on a day-to-day basis. There is always a high risk of data being lost or stolen knowingly or unknowingly when collaborating with suppliers or partners. With Secude's HaloCAD Viewers, you can ensure your design files are secure with persistent access controls without any risk of data getting stolen or lost.

## **About this Manual**

This manual walks you through the process of installing, configuring, and operating the HaloCAD for Viewers.

## 2. General FAQs

This chapter provides answers to the most frequently asked questions (FAQ). If you have any further inquiries, please contact our sales representative or our support team.

### 1. **What can HaloCAD for Viewers offer a user?**

HaloCAD for Viewers is a lightweight application to view the protected files in other CAD-Viewer applications with "View only" access to all the users who have access to it.

### 2. **Is it possible to view all types of CAD files that are protected?**

You can only access HaloCAD-protected CAD files that are mentioned as supported file types in the Release Notes.

### 3. **What languages are supported by the HaloCAD add-on?**


Currently, the HaloCAD add-on only supports the English language.

### 4. **What happens if an unauthorized person tries to open a HaloCAD-protected CAD file?**

At first, user authentication takes place. It is a process of verifying the identity of the user. If the user fails during the authentication, he/she will be prompted with an error message and access will be denied.

### 3. Quick Start Installation Summary


The following image shows the high-level idea of setting up HaloCAD.



*HaloCAD quick start installation steps*

## 4. HaloCAD Architecture

HaloCAD for Viewers is a lightweight application designed to view HaloCAD-protected files in other CAD-Viewer applications with “View only” access to all the users who have access to it. This application is useful for Suppliers or Partners who need to access HaloCAD-protected models or drawings in their environment. The following figure shows the HaloCAD for Viewers.



HaloCAD for Viewers

## 5. System Requirements

The following system requirements table specifies the minimum and recommended technical specifications, such as software and network resources, necessary to run the product.

Components	Details
Supported Operating Systems	Windows 10, Windows 11, or above with updates installed.
Supported Viewer applications	Any version of the 64-bit Viewer from the list below: <ol style="list-style-type: none"> <li>1. Teamcenter Visualization Base 12.0, 14.0</li> <li>2. Teamcenter Visualization Standard 12.0, 14.0</li> <li>3. Teamcenter Visualization Professional 12.0, 14.0</li> <li>4. Teamcenter Embedded Visualization 12.0</li> <li>5. Teamcenter RAC Client 12.0</li> <li>6. Siemens Solid Edge 2D Drafting 2020, 2024</li> <li>7. Creo View Express 7.0</li> <li>8. Creo View 8.0</li> <li>9. Creo View Lite 7.0, 9.1, 10.0 and 11.0</li> <li>10. AutoCAD LT 2020, 2023, 2024 and 2025</li> <li>11. SAP 3D Viewer for only .VDS</li> </ol>
Supported File Types	Creo: .pvs, .pz, .ed, .edz, .dwg, .dxf, and .step SolidEdge: .dft and .jt AuotCAD: .dwg and .dxf Teamcenter: .jt SAP: .vds Note: Extensions will be evaluated and added to the list in response to user requirements.
Office 365 Subscription	<ol style="list-style-type: none"> <li>1. An Azure subscription is required to use Azure RMS and the MPIP functionality.</li> <li>2. A working Microsoft Entra ID service must be available.</li> <li>3. Use the same <b>Application ID</b> and <b>Redirect URI</b> which is used by HaloCAD Add-on for CAD.</li> </ol>

## Secude

Components	Details
	<p>4. TLS 1.2 or higher must be enabled to ensure the use of cryptographically secure protocols at all client workstations.</p> <p>5. Audit logging: Your Azure subscription must include Log Analytics on the same tenant as Microsoft Entra ID.</p>

### Requirements

#### Recommended URLs, addresses, and ports for MPIP

MIP SDK doesn't support the use of authenticated proxies. So, make sure you set the Microsoft 365 endpoints to bypass the proxy. View a list of endpoints at "[Microsoft Online Documentation](#)". However, Microsoft recommends the following:

Addresses	Ports
*.protection.outlook.com 40.92.0.0/15, 40.107.0.0/16, 52.100.0.0/14, 52.238.78.88/32, 104.47.0.0/17, 2a01:111:f403::/48	TCP 443
*.aadrm.com, *.azurerms.com, *.informationprotection.azure.com, ecn.dev.virtualearth.net, informationprotection.hosting.portal.azure.net, *.office.com (add <a href="#">substrate.office.com</a> if you don't want to add all sub-domains), crl3.digicert.com, crl4.digicert.com .	TCP 443
<b>For event logging</b> *.events.data.microsoft.com	TCP 443
<b>National Cloud</b>	<b>Microsoft Entra ID authentication endpoint</b>
Microsoft Entra ID for the US Government	<a href="https://login.microsoftonline.us">https://login.microsoftonline.us</a>
Microsoft Entra ID (global service) For details on Microsoft Entra ID endpoints, please refer to " <a href="#">Microsoft Online Documentation</a> ".	<a href="https://login.microsoftonline.com">https://login.microsoftonline.com</a>

### Recommended endpoints

## 6. Installation Modes

You can install the HaloCAD for Viewers in the following modes:

1. **Graphical Mode**

Graphical mode installation is an interactive, graphical user interface-based method that is driven by a wizard.

2. **Silent Mode**

Silent-mode installation is a non-interactive method of installing the add-on using command lines.

3. **Via System Center Configuration Manager**

With System Center Configuration Manager (SCCM), the add-on is deployed on the targeted computers across your enterprise.

## 6.1. Graphical Mode

### Before you begin


The following prerequisites must be met:

1. A user who installs HaloCAD for Viewers must have administrator rights.
2. Make sure that you have tenant details before starting the installation.


### Installation Procedure

Install the HaloCAD for Viewers using the GUI-based setup program provided in the installation package.

1. To begin the interactive installation, double-click the installer HaloCAD\_Viewers\_Shield\_Setup.exe file.
2. Depending on your Windows security settings, you may get a warning such as "Do you want to allow the following program to make changes to this computer?". If you get this security warning, click the **Yes** button to continue the installation.
3. When the installer starts, you will see the startup dialog followed by the welcome dialog:




*Startup dialog*




*Welcome dialog*

4. Click **Next** to continue the installation.
5. The end-user license agreement dialog will appear:




*End-User License Agreement dialog*

6. Read the **End-User License Agreement**. If you agree, select **I accept the terms in the License Agreement** and click **Next**.
7. The destination folder selection dialog will appear:




*Destination folder selection dialog*

8. By default, application files are stored in the program files directory (C:\Program Files\Secude\). If you would like to choose an alternate location, click the **Browse** button and select your location preference. When you are finished, click **Next**.
9. The feature selection dialog will appear:




*Feature selection dialog*

10. By default, **Viewers Shield** option will be selected.
11. If you wish to review or change any settings, click the **Back** button to return to any point in the installation process. Otherwise, click **Next** to allow the Setup program to install the application.
12. The installation begins and progress is shown in the dialog.



*Installation progress dialog*

13. When the installation is completed, you will see a message confirming that the add-on has been successfully installed.




*Installation completed dialog*

14. The initialization dialog will appear. Enter the correct Azure application registration information in the screen below to avoid connectivity issues.


*Initialization dialog*

- a. **Application ID:** Enter the unique identifier of your registered application. For example, v6ca776-c74e-437d-98ef-662ecb5751tt
  - b. **Redirect URI:** Enter the URI which was provided when registering the native application in the Azure portal. For example, https://localhost
  - c. **Tenant ID:** If the registered application is **Single tenant**, you need to enter the globally unique identifier of your tenant if not, you can leave it empty. For example, 9c1cfc28-1ec6-44ea-bec6-e3492ef0cd16.
  - d. **Cloud Type:** By default, Commercial will be set. However, based on your Azure subscription and configuration, you can change the cloud type from the list – Commercial / Custom / Germany / US\_DoD / US\_GCC / US\_GCC\_High / US\_Sec / US\_Nat / China\_01. In the case of **Custom** cloud type, you need to enter the appropriate URLs in **Protection Cloud URL** (for example, https://api.aadrm.com/) and **Policy Cloud URL** (for example, https://dataservice.protection.outlook.com/).
  - e. Click **Next**,
15. Once the initialization is completed, you will get the success message as shown below.




*Initialization completed dialog*

16. Click **Close** to close the installation wizard.

17. After the installation, a shortcut icon  is created on the desktop to provide easy access to the application. It is also loaded on the startup menu.

**Post-installation steps**

1. To launch the application, you need to double-click on the **HaloCAD\_Viewers** icon or open the **Start menu** and go to **All apps >** select **HaloCAD for Viewers**. You will see the startup dialog as shown below:



*Viewers Startup dialog*

2. If the machine has restarted or a new login session has started, the Viewers application will start automatically.
3. Double-clicking on the **HaloCAD\_Viewers** icon when the Viewers application is already running, HaloCAD will display a message as **HaloCAD for Viewer already running**.
4. You can view the log files at %AppData%\Roaming\Secude\HaloCAD\viewers\halocad.log.
5. Also, you can see the configuration information of the HaloCAD for Viewers in the registry—  
HKEY\_LOCAL\_MACHINE\SOFTWARE\Secude\HaloCAD for Viewers.

### Next Steps

Now that HaloCAD for Viewers is installed and initialized in your environment, it is ready to view the protected files in supported CAD Viewer applications. For more information, please refer to the section [“Operating Instructions”](#).

## 6.2. Silent Mode

In addition to graphical mode, the HaloCAD for Viewers can be installed in silent mode that does not display a user interface or require user interaction. It is a convenient way to streamline installation using the command at once.

1. Open the Command Prompt with elevated rights (Run as Administrator).
2. Navigate to the installer directory.
3. To know the list of options available in silent mode, follow the steps given below:

**Type** HaloCAD\_Viewers\_Shield\_Setup.exe -help

**Press** Enter

### Output

...

```
HaloCAD_Viewers_Shield_Setup.exe [-install [-viewersshield] [-dir  
<destination_directory>] <ApplicationID> <Redirect URI> <TenantID/Name> <Cloud Type  
("Commercial"|"Custom"|"Germany"|"US_DoD"|"US_GCC"|"US_GCC_High"|"US_Sec"|"US_Nat"|"C  
hina_01"|")> [(if Custom) <Protection Cloud Url> <Policy Cloud url>] ]
```

```
HaloCAD_Viewers_Shield_Setup.exe [-uninstall -silent <true|false>]
```

4. The following is an example to install HaloCAD for Viewers using the command line.

```
HaloCAD_Viewers_Shield_Setup.exe -install -viewersshield -dir "C:\Program  
Files\Secude" v6ca776-c74e-437d-98ef-662ecb5751tt https://localhost 9c1cfc28-1ec6-  
44ea-bec6-e3492ef0cd16 Custom https://api.aadrm.com/  
https://dataservice.protection.outlook.com/
```

5. Installation gets completed.

### 6.3. Via System Center Configuration Manager

The Microsoft System Center Configuration Manager (SCCM) is an administration tool that enables organizations to push out relevant operating systems and applications to Windows users quickly and cost-effectively within its environment.

Using SCCM, the add-on can be installed silently and automatically on the specifically targeted computers across your enterprise.

#### Before you begin

1. Make sure that you have read the prerequisites given in the section "[Graphical Mode](#)".
2. We recommend familiarizing the best practices for creating a deployment procedure.
3. For information about preparing your environment, please refer to the online Microsoft documentation.

Follow the below steps to deploy using SCCM:


1. This guide assumes that you have already set up a SCCM environment.
2. Use the silent mode commands mentioned in the section "[Silent Mode](#)" when needed.

## 7. Operating Instructions

This section outlines key operations procedures for working with HaloCAD for Viewers.

### 7.1. How does it work?

At a high level, HaloCAD workflow involves the following steps:




#### HaloCAD for Viewers

1. The user opens the CAD-Viewers application, HaloCAD loads, and displays the message *'Protected files can be loaded'*.
2. The first time logging in to the HaloCAD session requires a connection to Microsoft Azure, which verifies the authenticity of the user. In our scenario, the user intends to open two HaloCAD-protected files (File 1 and File 2) using the CAD-Viewers application.
3. The user is authorized to open File 1 with view-only permission.
4. However, the user does not have sufficient permissions to open File 2, therefore the file cannot be opened.

## 7.2. How to Open a Protected File in HaloCAD for Viewers?


Prerequisite: Make sure that HaloCAD for Viewers is installed.

1. Open any supported Viewer application. For Example, Teamcenter Visualization Base.
2. HaloCAD for Viewers loads automatically whenever a viewer application is launched, and you will receive the following message.




*Protected files can be loaded*

3. Click **OK**.
4. Open a HaloCAD-protected file via **File > Open**. The first time logging into the HaloCAD session requires a connection to Azure RMS, the HaloCAD so Microsoft Sign-In prompts you to enter login information to start a new session.



*Microsoft Sign-In Assistant invoking message*

5. Click **OK**. Enter your credentials.



### *Authentication sign-in prompt*

6. On successful verification, a connection is established with the Microsoft Entra tenant that is used during initialization.

**Result:** A view-only version of the file will open.

### **User Reset**


The login credentials are stored in a cache once a user logs into the HaloCAD session to make accessing Azure RMS easier. A user can want to clear the cached credentials for many reasons. To accomplish this, select **show hidden icons** from the taskbar, then right-click on the **Secude** icon and choose **User Reset**.

#### **7.2.1. What Happens if You Try to Copy Data or Print Screen?**

The most common way to sneak sensitive information out is by copying it (Ctrl + C) and taking a screenshot by Print Screen (PrtScn) or by using the snipping tool. The moment a viewer application is launched, HaloCAD for Viewers is invoked automatically and starts preserving the attributes of both unprotected and protected files. So, when attempting to take a screenshot or copying results, the entire contents are blanked out.

#### **7.2.2. What Happens if You Try to Export or Print?**


With "View-only" rights, you can only view the content, and other options are restricted, such as print. So, when attempting to export via **Print > Microsoft Print to PDF**, you will receive the following warning message:



*Print warning message*

### 7.2.3. What Happens if You Try to Write?


With "View-only" rights, you can only view the content and other options are restricted, such as Edit, Save, and Save As. So, when attempting to edit a file of any kind will cause the following warning message:



*Write/edit the warning message*

### 7.2.4. What Happens if You Try to Send the File via Email?

With "View-only" rights, you can only view the content, and other options are restricted, such as email. So, when attempting to mail a file via **File > Email**, you will receive the following warning message:



*Email warning message*

### **Warning message in an unprotected file**

You will receive the same warning message while exporting/editing/emailing with an unprotected file if a protected file is already opened in the same session. Here, you need to restart the application and try again.

It is designed in such a way that when opening a protected file, HaloCAD for Viewers does not allow exporting / editing / emailing data, even from an unprotected file. Therefore, please edit a file before opening a HaloCAD-protected file in a HaloCAD session.

## 8. Customer Support

Please be ready with the below-listed information before contacting our team to help you with the issue you are experiencing. The data that you provide will help us to serve you better.

1. Full contact details.
2. HaloCAD Add-on build version.
3. Date, time, and description of the error (if possible, provide screenshots).
4. What (if any) third-party products (software or other) were used in conjunction with our product?
5. Any other information necessary to reproduce the error.

### Secude offers help and support through

1. Technical support email: [support@secude.com](mailto:support@secude.com)

If you choose the email option to contact us, please provide your company details with a detailed description of the issue and attach the log file (if any). Our representative will respond to your email inquiry.

2. Phone support: Call +41 41 510 70 70 to talk to our representative to diagnose and resolve the technical problem.

### Other resources

Please visit <https://secude.com> to know about upcoming events, press releases, and to download whitepapers.

## 9. Documentation Feedback

Secude understands the importance of technical content when attempting to gain product knowledge and strives to continuously improve product documentation to ensure that users receive the information they want. To provide feedback on the documentation, please send an email to [documentation@secude.com](mailto:documentation@secude.com). Please include the following details in your feedback:

1. Product name and version
2. Documentation topic
3. Details of the suggestion or error

The technical documentation team will consider your feedback and address it in future documentation updates.

## 10. Appendix

This section provides supplemental information.

### 10.1. Enable Support for TLS 1.2 at the Client Workstation for Microsoft Entra ID

To improve the security posture of the tenant, and to remain in compliance with industry standards, Microsoft Entra ID stopped supporting the following Transport Layer Security (TLS) protocols and ciphers:

1. TLS 1.1
2. TLS 1.0
3. 3DES cipher suite (TLS\_RSA\_WITH\_3DES\_EDE\_CBC\_SHA)

In order for the HaloCAD for CAD add-on to be able to authenticate to Microsoft Entra ID, TLS 1.2 must be activated on the respective client workstation. Please see this [Microsoft article to enable TLS 1.2](#).

#### Microsoft documentation

The information in the Microsoft documentation overrides any information published in this section.

Secude is not liable for changes to the content of this section because it was extracted from the Microsoft article at the time when the HaloCAD manual was prepared. Do check the most recent updates in this regard from the Microsoft documentation.

In summary, the following steps must be performed:

1. Update the Windows Operating System
2. Update .NET Framework
3. Set the following registry settings:

S.No	Windows Registry	Values
1	[HKEY_LOCAL_MACHINE\SOFTWARE\WOW6432Node\Microsoft\.NETFramework\v4.0.30319]	"SystemDefaultTlsVersions"=dword:00000001 "SchUseStrongCrypto"=dword:00000001
2	[HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\.NETFramework\v4.0.30319]	"SystemDefaultTlsVersions"=dword:00000001 "SchUseStrongCrypto"=dword:00000001

*Registry entries*

## 10.2. Open-source Software

Third-party software/code is included or bundled with Secude's products according to its appropriate license. Secude conducts testing to make sure the third-party products are compatible with and perform as intended with Secude applications.

The third-party libraries and dependencies used by HaloCAD for Viewers are shown in the table below.

Library	Version	Source Code	License Link
Mhook	2.5.1	<a href="https://github.com/apriorit/mhook">https://github.com/apriorit/mhook</a>	<a href="https://github.com/apriorit/mhook#license">https://github.com/apriorit/mhook#license</a>
Boost	1.75.0	-	-
Protobuf Library	3.15.6	<a href="https://github.com/protocolbuffers/protobuf">https://github.com/protocolbuffers/protobuf</a>	<a href="https://github.com/protocolbuffers/protobuf/blob/master/LICENSE">https://github.com/protocolbuffers/protobuf/blob/master/LICENSE</a>
OpenSSL	1.1.1	<a href="https://github.com/openssl/openssl">https://github.com/openssl/openssl</a>	<a href="https://github.com/openssl/openssl/blob/master/LICENSE.txt">https://github.com/openssl/openssl/blob/master/LICENSE.txt</a>
Rapidxml	1.13	<a href="https://sourceforge.net/projects/rapidxml/files/latest/download">https://sourceforge.net/projects/rapidxml/files/latest/download</a>	<a href="http://rapidxml.sourceforge.net/license.txt">http://rapidxml.sourceforge.net/license.txt</a>
tbb	2018_20180618oss	<a href="https://github.com/oneapi-src/oneTBB">https://github.com/oneapi-src/oneTBB</a>	<a href="https://github.com/dwaddington/tbb-2018/blob/tbb_2018/LICENSE">https://github.com/dwaddington/tbb-2018/blob/tbb_2018/LICENSE</a>
MSAL	4.35.1	<a href="https://github.com/AzureAD/microsoft-authentication-library-for-dotnet">https://github.com/AzureAD/microsoft-authentication-library-for-dotnet</a>	<a href="https://github.com/AzureAD/microsoft-authentication-library-for-dotnet/blob/master/LICENSE">https://github.com/AzureAD/microsoft-authentication-library-for-dotnet/blob/master/LICENSE</a>
ConfuserEx	1.0.0.0	<a href="https://github.com/yck1509/ConfuserEx">https://github.com/yck1509/ConfuserEx</a>	<a href="https://github.com/yck1509/ConfuserEx/blob/master/LICENSE">https://github.com/yck1509/ConfuserEx/blob/master/LICENSE</a>
WTL	9.0.4140	<a href="https://www.nuget.org/packages/wtl/9.0.4140">https://www.nuget.org/packages/wtl/9.0.4140</a>	<a href="https://opensource.org/licenses/cpl1.0.txt">https://opensource.org/licenses/cpl1.0.txt</a>
MIP SDK	1.14.108	-	-


*Open-source software*

### 10.3. Uninstalling the HaloCAD for Viewers

When you no longer use the HaloCAD for Viewers, you may uninstall the application. Uninstalling removes all files and registry settings that were added to your computer during the initial installation.


#### Method #1

1. Click **Start** menu > go to **Control Panel > Programs > Programs and Features > Uninstall a Program** > select **HaloCAD for Viewers** application from the list > right-click and select **Uninstall** option or double-click on the installer `HaloCAD_Viewers_Shield_Setup.exe` file.
2. Depending on your Windows security settings, you may get a security warning as "Do you want to allow the following program to make changes to this computer?". If you get this security warning, click the **Yes** button to confirm that you want to uninstall the add-on.
3. The HaloCAD installer first looks for background-running, active Creo View applications in a user-logged-in session. If identified, it displays the notification to prompt you to end any open applications before letting you resume uninstalling.
4. Click **OK** and then close all Creo View application(s).
5. Redo [step 1](#), the following confirmation message will appear.



*Uninstall Message #1*

6. Click **Yes** to confirm that you want to remove it from the computer.



*Uninstall Message #2*

7. The HaloCAD component has been successfully uninstalled. Click **OK** to close the dialog.
8. The uninstalling process is complete.

### Method #2

The following is an example of uninstalling the HaloCAD for Viewers using the command line.

1. Open a command prompt.
2. Navigate to the directory of the add-on installer.

**Example:** HaloCAD\_Viewers\_Shield\_Setup.exe -uninstall -silent true

3. The uninstalling process is complete.

# Index

<b>A</b>	
Application_id.....	1
Azure.....	1
<b>C</b>	
Cad-viewer.....	1
Cloud-type .....	1
<b>M</b>	
Microsoft_intra_id.....	1
Microsoft-entra-tenant.....	1
Mpip .....	1
<b>R</b>	
Redirect_uri.....	1
<b>S</b>	
Sccm .....	1
<b>T</b>	
Transport-layer-security.....	1



[www.secude.com](http://www.secude.com)

## About Secude

Secude, a Microsoft and SAP Partner, is a global leader for Zero Trust Data-centric security and Enterprise Digital Rights Management (EDRM) solutions.

For more than 25 years Secude has been trusted by many Fortune 500 and DAX-listed companies for architecting, implementing, and protecting their data. Our data-centric security professionals apply their passion and deep domain expertise to provide a holistic approach to protect priceless Intellectual Property (IP) in CAD & SAP based collaborations and supply chains.

With branches in Europe, North America and Asia, Secude supports customers with the implementation of IT security strategies through a global network.